Appl. No.: 10/069,913 Filed: February 28, 2002

Page 2

Amendments to the Claims:

- 1. (Previously Amended) A method for preventing or treating vascular thrombosis, which comprises administering to a subject a medicinal product comprising a sulfated polysaccharide obtained by radical depolymerization of a crude fucan derived from Phaeophyceae, said polysaccharide having a molar mass of less than or equal to 10,000 g/mol.
- 2. (Currently Amended) The method as claimed in claim 1, wherein said medicinal product is intended to prevent or treat venous thrombosis is treated or prevented.
- 3. (Currently Amended) The method as claimed in claim 1, wherein said medicinal product is intended to prevent or treat arterial thrombosis is treated or prevented.
- 4. (Currently Amended) The method as claimed in claim 3, for preventing wherein arterial restenosis is prevented.
- 5. (Previously Amended) The method as claimed in claim 1, wherein said sulfated polysaccharide has a molar mass of less than 5000 g/mol.
- 6. (Previously Amended) The method as claimed in claim 1, wherein said medicinal product is administered parenterally.
- 7. (Previously Amended) The method as claimed in claim 6, wherein said medicinal product is administered intravenously.
- 8. (Previously Amended) The method as claimed in claim 6, wherein said medicinal product is administered subcutaneously.
- 9. (Previously Amended) The method as claimed in claim 8, wherein said medicinal product is administered, preventatively, at a daily dose of between 150 and 300 mg.

Appl. No.: 10/069,913 Filed: February 28, 2002 Page 3

- 10. (Previously Amended) The method as claimed in claim 8, wherein said medicinal product is administered, curatively, at a daily dose of between 450 and 600 mg.
- 11. (Previously Amended) The method as claimed in claim 4, wherein said medicinal product is administered locally.
- 12. (Previously Amended) The method as claimed in claim 11, wherein said medicinal product is administered by endoparietal diffusion.